

MATERIAL & RESOURCES:

Regional Materials

Components of the MAXAM seating syetem are manufactured at multiple locations.

Polymer components are manufactured in Southern NH USA.

Steel components are manufactrured in North Berwick, ME. 03906 USA

Recycled Content

MATERIAL	Weight % / Material	Price % \$ / Material	Total % Recycled Content	% Pre Consumer	% Post Consumer	Material Recyclable
Corrugated Packaging	~	~	67.50%	0.00%	100.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	85.00%	0.00%	100.00%	Yes
Steel	68.66%	64.86%	33.00%	22.00%	78.00%	Yes
Cast Iron	0.41%	1.43%	70.00%	50.00%	50.00%	Yes
Wood	18.58%	12.21%	0.00%	0.00%	0.00%	Yes
Polymer	10.37%	19.19%	0.00%	0.00%	0.00%	Yes
Synthetic Rubber	1.98%	2.31%	0.00%	0.00%	0.00%	Yes

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.25mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass







MATERIAL & RESOURCES:

Regional Materials

Components of the MAXAM seating syetem are manufactured at multiple locations.

Polymer components are manufactured in Southern NH USA

Steel components are manufactrured in North Berwick, ME. 03906 USA

Recycled Content

MATERIAL	Weight % / Material	Price % \$ / Material	Total % Recycled Content	% Pre Consumer	% Post Consumer	Material Recyclable
Corrugated Packaging	~	~	67.50%	0.00%	100.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	85.00%	0.00%	100.00%	Yes
Steel	68.27%	74.81%	33.00%	22.00%	78.00%	Yes
Cast Iron	0.22%	0.15%	70.00%	50.00%	50.00%	Yes
Wood	20.90%	15.62%	0.00%	0.00%	0.00%	Yes
Polymer	8.91%	8.42%	0.00%	0.00%	0.00%	Yes
Synthetic Rubber	1.70%	1.01%	0.00%	0.00%	0.00%	Yes

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.25mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass







MATERIAL & RESOURCES:

Regional Materials

Components of the MAXAM seating syetem are manufactured at multiple locations.

Polymer components are manufactured in Southern NH USA.

Steel components are manufactrured in North Berwick, ME. 03906 USA

Recycled Content

	Weight	Price	Total %	%	%	Material
MATERIAL	% / Material	% \$ / Material	Recycled Content	Pre Consumer	Post Consumer	Recyclable
Corrugated Packaging	~	~	67.50%	0.00%	100.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	85.00%	0.00%	100.00%	Yes
Steel	67.59%	73.90%	33.00%	22.00%	78.00%	Yes
Cast Iron	0.21%	0.14%	70.00%	50.00%	50.00%	Yes
Wood	20.69%	15.43%	0.00%	0.00%	0.00%	Yes
Polymer	9.83%	9.53%	0.00%	0.00%	0.00%	Yes
Synthetic Rubber	1.68%	1.00%	0.00%	0.00%	0.00%	Yes

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.25mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass







MATERIAL & RESOURCES:

Regional Materials

Components of the MAXAM Plus seating syetem are manufactured in North Berwick, ME. 03906 USA.

Incorporate Metro Data Sheets for telescopic chair projects requirements.

Recycled Content						
MATERIAL	Weight % / Material	Price % \$ / Material	Total % Recycled Content	% Pre Consumer	% Post Consumer	Material Recyclable
Corrugated Packaging	~	~	67.50%	0.00%	100.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	85.00%	0.00%	100.00%	Yes
Steel	74.95%	81.68%	33.00%	22.00%	78.00%	Yes
Cast Iron	0.23%	.16%	70.00%	50.00%	50.00%	Yes
Wood	22.95%	17.05%	0.00%	0.00%	0.00%	Yes
Polymer	0.00%	0.00%	0.00%	0.00%	0.00%	Yes
Synthetic Rubber	1 87%	1 11%	0.00%	0.00%	0.00%	Yes

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.25mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass





METRO TM POLYMER

MANUAL-ASSIST OPERATION (SEMI-AUTOMATIC SHOWN)

MATERIAL & RESOURCES:

Regional Materials

Components of the Metro Collection are manufactured in the Peoples Republic of China.

Fabrics used on Metro are manufactured at multiple global locations and can vary in recycled content percentage from 0% - 100% and % dollars based on product selection.

Recycled Content

MATERIAL	Weight Lbs. / %	Price % \$ / Material	Total % Recycled Content	% Pre Consumer	% Post Consumer	Material Recyclable
Corrugated Packaging	~	~	67.50%	0.00%	100.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	0.00%	0.00%	0.00%	Yes
Polymer	6.91 / 29.95%	49.19%	9.00%	100.00%	00.00%	Yes
Cast & Extruded Aluminum	5.98 / 25.95%	27.20%	45.00%	75.00%	25.00%	Yes
Steel	9.42 / 40.85%	23.34%	8.00%	60.00%	40.00%	Yes
Misc. Steel Hardware	.75 / 3.25%	0.27%	8.00%	60.00%	40.00%	Yes

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.25mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass
2	1 111			
		San		
				A CONTRACTOR OF THE PARTY OF TH



METRO TM POLYMER SEMI-AUTOMATIC OPERATION

MATERIAL & RESOURCES:

Regional Materials

Components of the Metro Collection are manufactured in the Peoples Republic of China.

Fabrics used on Metro are manufactured at multiple global locations and can vary in recycled content percentage from 0% - 100% and % dollars based on product selection.

Recycled Content



	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.25mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass



METROTM UPHOLSTERED

MANUAL-ASSIST OPERATION (SEMI-AUTOMATIC SHOWN)

MATERIAL & RESOURCES:

Regional Materials

Components of the Metro Collection are manufactured in the Peoples Republic of China.

Fabrics used on Metro are manufactured at multiple global locations and can vary in recycled content percentage from 0% - 100% and % dollars based on product selection.

Recycled Content



1.000000	Empire	
	Environn	Cuality

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.25mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass
MONTH OF THE PARTY	Section 19 Control of the Control of			





METROTM UPHOLSTERED

SEMI-AUTOMATIC OPERATION

MATERIAL & RESOURCES:

Regional Materials

Components of the Metro Collection are manufactured in the Peoples Republic of China.

Fabrics used on Metro are manufactured at multiple global locations and can vary in recycled content percentage from 0% - 100% and % dollars based on product selection.

Recycled Content

MATERIAL	Weight Lbs. / %	Price % \$ / Material	Total % Recycled Content	% Pre Consumer	% Post Consumer	Material Recyclable
Corrugated Packaging	~	~	67.50%	0.00%	100.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	0.00%	0.00%	0.00%	Yes
Polymer	9.78 / 32.44%	30.78%	9.00%	100.00%	00.00%	Yes
Cast & Extruded Aluminum	5.43 / 18.02%	14.64%	45.00%	75.00%	25.00%	Yes
Steel	12.4 / 41.12%	38.97%	8.00%	60.00%	40.00%	Yes
Misc. Steel Hardware	0.66 / 2.19%	0.14%	8.00%	60.00%	40.00%	Yes
Polyurethane Foam	1.2 / 3.98%	14.03%	0.00%	0.00%	0.00%	Yes
Fabric (Varies)	0.68 / 2.25%	1.44%	0.00%	0.00%	0.00%	Yes

Indoor	Enviror	nmental	Quality

w 100	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.25mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass






WOOD COMPONENTS

MATERIAL & RESOURCES

Certified Wood:

For projects looking to incorporate FSC® certified wood products into their installations we can provide FSC COC [Chain of Custody] certified wood in the manufacturing of our MAXAM, MAXAM+ classic wood decks, Quattro Collection and Metro Collection products at an additional charge. Hussey Seating Company has been certified in the production of spectator seating using the transfer system. Certification Code: SCS-COC-003771.





The mark of responsible forestry

INDOOR ENVIRONMENTAL QUALITY

Composite Woods and Laminated Adhesives:

Hussey Seating Company incorporates solid-core ply-form panals in following products:

MAXAM Telescopic Gym Seating System
MAXAM Telescopic Platform Seating System
Quattro Seating Collection
Quattro Traditional Seating Collection

All the solid-core ply-form panals are manufactured at global locations with resins which are free of added ureaformaldehyde meeting or exceeding the requirements of USGBC, LEED and / or BIFMA for seating related products.



