

Quattro®

CLASSIC SERIES CAST ALUMINUM STANCHION



MATERIAL & RESOURCES:

Regional Materials

Components of the Quattro Collection are manufactured in the Peoples Republic of China.

Fabrics used on Quattro are manufactured at multiple global locations and can vary in recycled content percentage from 0% - 100% and % dollars based on product selection.

Recycled Content

MATERIAL	Weight Lbs. / %	Price % \$ / Material	Total % Recycled Content	% Pre Consumer	% Post Consumer	Material Recyclable
Corrugated Packaging	~	~	95.00%	20.00%	80.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	0.00%	0.00%	0.00%	Yes
Wood	8.48 / 31.55%	13.57%	0.00%	0.00%	0.00%	Yes
Polymer	2.4 / 8.94%	6.86%	9.00%	100.00%	0.00%	Yes
Cast Aluminum	6.36 / 23.68%	33.05%	45.00%	75.00%	25.00%	Yes
Steel	5.76 / 21.44%	13.62%	8.00%	60.00%	40.00%	Yes
Misc. Steel Hardware	.29 / 1.08%	1.96%	8.00%	60.00%	40.00%	Yes
Polyurethane Foam	2.2 / 8.19%	14.26%	0.00%	0.00%	0.00%	Yes
Cellular Urethane	0 / 0.00%	1.80%	0.00%	0.00%	0.00%	Yes
Fabric (Varies)	1.375 / 5.12%	14.88%	0.00%	0.00%	0.00%	Varies

Indoor Environmental Quality

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.00325mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass



husseyseating™
YOUR PARTNER FOR SEATING SOLUTIONS

38 Dyer Street Extension ▪ North Berwick, Maine 03906 USA
Toll Free (USA) 1.800.341.0401
Tel: +1.207.676.2271 ▪ Fax: +1.207.676.2222
info@husseyseating.com ▪ www.husseyseating.com

Quattro®

CLASSIC SERIES STEEL STANCHION



MATERIAL & RESOURCES:

Regional Materials

Components of the Quattro Collection are manufactured in the Peoples Republic of China.

Fabrics used on Quattro are manufactured at multiple global locations and can vary in recycled content percentage from 0% - 100% and % dollars based on product selection.

Recycled Content

MATERIAL	Weight Lbs. / %	Price % \$ / Material	Total % Recycled Content	% Pre Consumer	% Post Consumer	Material Recyclable
Corrugated Packaging	~	~	95.00%	20.00%	80.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	0.00%	0.00%	0.00%	Yes
Wood	8.48 / 29.75%	12.76%	0.00%	0.00%	0.00%	Yes
Polymer	2.27 / 7.96%	6.16%	9.00%	100.00%	0.00%	Yes
Cast Aluminum	1.30 / 4.56%	11.98%	45.00%	75.00%	25.00%	Yes
Steel	12.58 / 44.16%	38.19%	8.00%	60.00%	40.00%	Yes
Misc. Steel Hardware	.29 / 1.02%	1.84%	8.00%	60.00%	40.00%	Yes
Polyurethane Foam	2.2 / 7.72%	13.40%	0.00%	0.00%	0.00%	Yes
Cellular Urethane	0 / 0.00%	1.69%	0.00%	0.00%	0.00%	Yes
Fabric (Varies)	1.375 / 4.83%	13.98%	0.00%	0.00%	0.00%	Varies

Indoor Environmental Quality

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.00325mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass



husseyseating™
YOUR PARTNER FOR SEATING SOLUTIONS

38 Dyer Street Extension ▪ North Berwick, Maine 03906 USA
Toll Free (USA) 1.800.341.0401
Tel: +1.207.676.2271 ▪ Fax: +1.207.676.2222
info@husseyseating.com ▪ www.husseyseating.com

Quattro®

DESIGNER SERIES CAST ALUMINUM STANCHION



MATERIAL & RESOURCES:

Regional Materials

Components of the Quattro Collection are manufactured in the Peoples Republic of China.

Fabrics used on Quattro are manufactured at multiple global locations and can vary in recycled content percentage from 0% - 100% and % dollars based on product selection.

Recycled Content

MATERIAL	Weight Lbs. / %	Price % \$ / Material	Total % Recycled Content	% Pre Consumer	% Post Consumer	Material Recyclable
Corrugated Packaging	~	~	95.00%	20.00%	80.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	0.00%	0.00%	0.00%	Yes
Wood	14.07 / 42.96%	30.17%	0.00%	0.00%	0.00%	Yes
Polymer	2.4 / 7.33%	5.49%	9.00%	100.00%	0.00%	Yes
Cast Aluminum	6.36 / 19.41%	26.46%	45.00%	75.00%	25.00%	Yes
Steel	5.76 / 17.58%	10.91%	8.00%	60.00%	40.00%	Yes
Misc. Steel Hardware	.59 / 1.80%	2.20%	8.00%	60.00%	40.00%	Yes
Polyurethane Foam	2.2 / 6.72%	11.42%	0.00%	0.00%	0.00%	Yes
Cellular Urethane	0 / 0.00%	1.44%	0.00%	0.00%	0.00%	Yes
Fabric (Varies)	1.375 / 4.20%	11.91%	0.00%	0.00%	0.00%	Varies

Indoor Environmental Quality

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.00325mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass



husseyseating™
YOUR PARTNER FOR SEATING SOLUTIONS

38 Dyer Street Extension ▪ North Berwick, Maine 03906 USA
Toll Free (USA) 1.800.341.0401
Tel: +1.207.676.2271 ▪ Fax: +1.207.676.2222
info@husseyseating.com ▪ www.husseyseating.com

Quattro®

DESIGNER SERIES STEEL STANCHION



MATERIAL & RESOURCES:

Regional Materials

Components of the Quattro Collection are manufactured in the Peoples Republic of China.

Fabrics used on Quattro are manufactured at multiple global locations and can vary in recycled content percentage from 0% - 100% and % dollars based on product selection.

Recycled Content

MATERIAL	Weight Lbs. / %	Price % \$ / Material	Total % Recycled Content	% Pre Consumer	% Post Consumer	Material Recyclable
Corrugated Packaging	~	~	95.00%	20.00%	80.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	0.00%	0.00%	0.00%	Yes
Wood	14.07 / 40.93%	28.70%	0.00%	0.00%	0.00%	Yes
Polymer	2.27 / 6.60%	4.99%	9.00%	100.00%	0.00%	Yes
Cast Aluminum	1.30 / 3.78%	9.71%	45.00%	75.00%	25.00%	Yes
Steel	12.58 / 36.58%	30.95%	8.00%	60.00%	40.00%	Yes
Misc. Steel Hardware	.59 / 1.72%	2.09%	8.00%	60.00%	40.00%	Yes
Polyurethane Foam	2.2 / 6.40%	10.86%	0.00%	0.00%	0.00%	Yes
Cellular Urethane	0 / 0.00%	1.37%	0.00%	0.00%	0.00%	Yes
Fabric (Varies)	1.375 / 4.00%	11.33%	0.00%	0.00%	0.00%	Varies

Indoor Environmental Quality

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.00325mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass



husseyseating™
YOUR PARTNER FOR SEATING SOLUTIONS

38 Dyer Street Extension ▪ North Berwick, Maine 03906 USA
Toll Free (USA) 1.800.341.0401
Tel: +1.207.676.2271 ▪ Fax: +1.207.676.2222
info@husseyseating.com ▪ www.husseyseating.com

Quattro®

PERFORMANCE SERIES POLYMER/ALUMINUM



MATERIAL & RESOURCES:

Regional Materials

Components of the Quattro Collection are manufactured in the Peoples Republic of China.

Recycled Content

MATERIAL	Weight Lbs. / %	Price % \$ / Material	Total % Recycled Content	% Pre Consumer	% Post Consumer	Material Recyclable
Corrugated Packaging	~	~	95.00%	20.00%	80.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	0.00%	0.00%	0.00%	Yes
Wood	0.27 / 1.26%	5.84%	0.00%	0.00%	0.00%	Yes
Polymer	9.6 / 43.91%	45.35%	9.00%	100.00%	0.00%	Yes
Cast Aluminum	5.86 / 26.80%	25.19%	45.00%	75.00%	25.00%	Yes
Steel	6.04 / 27.62%	19.85%	8.00%	60.00%	40.00%	Yes
Misc. Steel Hardware	0.90 / 0.41%	1.93%	8.00%	60.00%	40.00%	Yes
Cellular Urethane	0 / 0.00%	1.84%	0.00%	0.00%	0.00%	Yes

Indoor Environmental Quality

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.00325mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass



husseyseating™
YOUR PARTNER FOR SEATING SOLUTIONS

38 Dyer Street Extension ▪ North Berwick, Maine 03906 USA
Toll Free (USA) 1.800.341.0401
Tel: +1.207.676.2271 ▪ Fax: +1.207.676.2222
info@husseyseating.com ▪ www.husseyseating.com

Quattro®

EXTREME SERIES



MATERIAL & RESOURCES:

Regional Materials

Components of the Quattro Collection are manufactured in the Peoples Republic of China.

Fabrics used on Quattro are manufactured at multiple global locations and can vary in recycled content percentage from 0% - 100% and % dollars based on product selection.

Recycled Content

MATERIAL	Weight Lbs. / %	Price % \$ / Material	Total % Recycled Content	% Pre Consumer	% Post Consumer	Material Recyclable
Corrugated Packaging	~	~	95.00%	20.00%	80.00%	Yes
Polypropylene Packaging	~	~	100.00%	0.00%	100.00%	Yes
Wood Pallets	~	~	0.00%	0.00%	0.00%	Yes
Wood	8.47 / 31.55%	46.45%	0.00%	0.00%	0.00%	Yes
Polymer	2.4 / 8.94%	5.30%	9.00%	100.00%	0.00%	Yes
Cast Aluminum	6.36 / 23.68%	19.29%	45.00%	75.00%	25.00%	Yes
Steel	5.76 / 21.44%	8.00%	8.00%	60.00%	40.00%	Yes
Misc. Steel Hardware	.29 / 1.08%	5.99%	8.00%	60.00%	40.00%	Yes
Polyurethane Foam	2.2 / 8.19%	7.88%	0.00%	0.00%	0.00%	Yes
Cellular Urethane	0 / 0.00%	.76%	0.00%	0.00%	0.00%	Yes
Fabric (Varies)	1.375 / 5.12%	6.33%	0.00%	0.00%	0.00%	Varies

Indoor Environmental Quality

	USGBC	GREENGUARD	BIFMA	Product Grade
Formaldehyde	≤ 25 ppb	≤ 25 ppb	≤ 25 ppb	Pass
TVOC	≤ 0.25mg/m3	≤ 0.25mg/m3	≤ 0.25mg/m3	Pass
Total Aldehydes	≤ 50 ppb	≤ 50 ppb	≤ 50 ppb	Pass
4 - Phenylcyclohexane	≤ 0.00325mg/m3	≤ 0.0065mg/m3	≤ 0.0065mg/m3	Pass



husseyseating™
YOUR PARTNER FOR SEATING SOLUTIONS

38 Dyer Street Extension ▪ North Berwick, Maine 03906 USA
Toll Free (USA) 1.800.341.0401
Tel: +1.207.676.2271 ▪ Fax: +1.207.676.2222
info@husseyseating.com ▪ www.husseyseating.com

WOOD COMPONENTS

MATERIAL & RESOURCES

Certified Wood:

For projects looking to incorporate FSC® certified wood products into their installations we can provide FSC COC [Chain of Custody] certified wood in the manufacturing of our MAXAM, MAXAM+ classic wood decks, Quattro Collection and Metro Collection products at an additional charge. Hussey Seating Company has been certified in the production of spectator seating using the transfer system. Certification Code: SCS-COC-003771.

Hussey Seating is proud to work with suppliers and partners whom are FSC Certified and use sound forest management practices to best help manage our global natural resources.



INDOOR ENVIRONMENTAL QUALITY

Composite Woods and Laminated Adhesives:

Hussey Seating Company incorporates solid-core ply-form panels in following products:

- MAXAM Telescopic Gym Seating System
- MAXAM Telescopic Platform Seating System
- Quattro Seating Collection
- Quattro Traditional Seating Collection

All the solid-core ply-form panels are manufactured at global locations with resins which are free of added urea-formaldehyde meeting or exceeding the requirements of USGBC, LEED and / or BIFMA for seating related products.



husseyseating™
YOUR PARTNER FOR SEATING SOLUTIONS

38 Dyer Street Extension • North Berwick, Maine 03906 USA
Toll Free (USA) 1.800.341.0401
Tel: +1.207.676.2271 • Fax: +1.207.676.2222
info@husseyseating.com • www.husseyseating.com