

CLUB BENCH – available in retractable and fixed applications

Club Bench is a premium specification upholstered bench and backrest seating system designed for use with Hussey Maxam Plus and Seatway TP theatre quality retractable platforms. The product features a full depth backrest providing optimum support for the audience. The efficient design enables the product to be used on a minimum retractable row rise of $9\frac{5}{8}$ ".

APPLICATIONS

The Club Bench provides comfortable seating with the flexibility of tailoring the seating space to suit children and adults, as required. Designed for use in schools and theatres, the Club Bench will also suit multi-purpose venues where flexibility and good aesthetics are important.

FEATURES

- Seat centres from 18"
- Preformed plywood, seat and back structure with fully contoured foam and upholstery
- Manual folding backrest
- Steel framed backrest frame that prevents foot damage from the occupants on the row behind
- Integral fascia board
- Specify Maxam Plus telescopic platforms with $9\frac{5}{8}$ " or $11\frac{6}{8}$ " rise and 33" row depth (or)
- Specify Seatway TP, theatre quality, retractable platforms with a $10\frac{1}{4}$ " to $15\frac{6}{8}$ " rise and $33\frac{1}{2}$ " row depth or greater
- A tread mounted, fixed version is available

OPTIONS

- Available without backrests for narrow row depths
- Seat numbers and row letters
- Custom powder coat colours
- Sponsor plaques

FINISHES

- Fabric from the Laser Ni range by Fidivi
- Customers own choice of fabric can also be specified
- Metalwork: Satin back powder coat
- Laminate veneer or painted fascia

TECHNICAL

For all technical details, please see the reverse side of this specification sheet.

CAD drawings are available on request.



HUSSEY SINCE 1835 **husseyseatway**
PUBLIC SEATING SYSTEMS

1

2

3

4

5

6

7

8

	Minimum	Maximum
Seat Centre (SC)	450mm [1'-5 3/4"]	N/A
Row Rise (Seatway TP)	260mm [10" 1/4"]	340mm [1'-1 1/2"]*
Row Rise (Maxam Plus)	244mm [9 1/2"]	295mm [11 1/2"]


*Custom bench available for rises exceeding 340mm

Strength & Stability

The chair satisfies the requirements of EN 12727:2000.

Fire Retardency

The fabric and foam comply with BS 5852:1990 (Source 0, 1, and 5). Other codes or European Standards can be satisfied as required.



783 [2'-6³/₄"]

382 [1'-3"]
Seatway

468 [1'-6¹/₂"]

58 [2¹/₄"]


302 [1']

484 [1'-7"]


350 [1'-1³/₄"]

Seatway TP Platforms

424 [1'-4³/₄"]



GENERAL
TOLERANCE
+
- 1 mm



husseyseatway
PUBLIC SEATING SYSTEMS

THIS DRAWING IS THE PROPERTY AND
COPYRIGHT OF HUSSEY SEATWAY LTD.
COPYING OR REPRODUCTION WITHOUT
WRITTEN PERMISSION IS PROHIBITED. © 2014

Tel: +44 (0)1985 847200
Fax: +44 (0)1985 847300
Email: info@husseyseatway.com

Itemref Quantity Title/Name, designation, material, dimension etc

Article No./Reference

Club bench

PRODUCT SPECIFICATION
LAYOUT

Imperial Version

A3 Scale
1:15

1

2

3

4

5

6

7

8

CLUB BENCH – available in retractable and fixed applications

Club Bench is a premium specification upholstered bench and backrest seating system designed for use with Hussey Maxam Plus and Seatway TP theatre quality retractable platforms. The product features a full depth backrest providing optimum support for the audience. The efficient design enables the product to be used on a minimum retractable row rise of 244mm.

APPLICATIONS

The Club Bench provides comfortable seating with the flexibility of tailoring the seating space to suit children and adults, as required. Designed for use in schools and theatres, the Club Bench will also suit multi-purpose venues where flexibility and good aesthetics are important.

FEATURES

- Seat centres from 450mm
- Preformed plywood, seat and back structure with fully contoured foam and upholstery
- Manual folding backrest
- Steel framed backrest frame that prevents foot damage from the occupants on the row behind
- Integral fascia board
- Specify Maxam Plus telescopic platforms with 244mm or 295mm rise and 838mm row depth (or)
- Specify Seatway TP, theatre quality, retractable platforms with a 260 to 400mm rise and 850mm row depth or greater
- A tread mounted, fixed version is available

OPTIONS

- Available without backrests for narrow row depths
- Seat numbers and row letters
- Custom powder coat colours
- Sponsor plaques


FINISHES

- Fabric from the Laser N range by Fidivi
- Customers own choice of fabric can also be specified
- Metalwork: Satin back powder coat
- Laminate veneer or painted fascia

TECHNICAL

For all technical details, please see the reverse side of this specification sheet.

CAD drawings are available on request.



husseyseatway
PUBLIC SEATING SYSTEMS





Hussey Seatway Ltd, 3 Centurion Way, Crusader Park, Warminster, Wiltshire, BA12 8BT U.K.
Tel: +44 (0)1985 847200 Fax: +44 (0)1985 847300 www.husseyseatway.com sales@husseyseatway.com

	Minimum	Maximum
Seat Centre (SC)	450mm	N/A
Row Rise (Seatway TP)	260mm	340mm*
Row Rise (Maxam Plus)	244mm	295mm


*Custom bench available for rises exceeding 340mm



Strength & Stability
The chair satisfies the requirements of EN 12727:2000.

Fire Retardency
The fabric and foam comply with BS 5852:1990 (Source 0, 1, and 5). Other codes or European Standards can be satisfied as required.



GENERAL TOLERANCE
+ 1 mm
-





SINCE 1835

PUBLIC SEATING SYSTEMS

THIS DRAWING IS THE PROPERTY AND COPYRIGHT OF HUSSEY SEATWAY LTD. COPYING OR REPRODUCTION WITHOUT WRITTEN PERMISSION IS PROHIBITED.

© 2014

Tel: +44 (0)1985 847200
Fax: +44 (0)1985 847300
Email: info@husseyseatway.com

Itemref	Quantity	Title/Name, designation, material, dimension etc	Article No./Reference
Club bench			
PRODUCT SPECIFICATION			Metric Version
LAYOUT			

A3 Scale
1:15